




HOME COLLECTION PRICELIST 2026





STATEMENT

Without compromise



Designed for pure musical performance, Statement is the pinnacle of Naim engineering knowledge and artistry. The series comprises the NAC S1 preamplifier and NAP S1 mono power amplifiers. Statement was over ten years in the making. We started with a blank page, specifying each element based on forty years of engineering experience and setting aside all traditional constraints on design to focus solely on musical performance. From first concept to final build, we've made no compromises in our pursuit of the ultimate sound.

Every part of Statement contributes to its performance. From the aluminium casework and stainless steel floor spikes to the custom transistors, we left no stone unturned in our pursuit of the ultimate sound. The NAC S1 preamp and NAP S1 mono power amps have two key elements: the high-calibre power supply components in the lower half and the sensitive electronics in the upper half. Between them sits an acrylic partition to eliminate interaction. The overall effect is supreme sound performance through minimising electromagnetic, mechanical, acoustic and thermal interchange.

NAC S1

Preamplifier

Analogue Input	3 X DIN, 3 X RCA, 2 X Balanced
Audio Outputs	1 X Balanced, 2 X Unbalanced (4 pin DIN sockets)
Weight	61.5kg
Dimensions (HxWxD)	940 x 270 x 412mm (width includes stabiliser)

Price: 429 000 AED/Pc.

NAP S1

Mono power amplifier

Analogue Input	1 x XLR (each)
Audio Outputs	Binding posts for spade & 4mm banana
Power Output	746W into 8 ohms, 1450W into 4 ohms, 9kW burst power into 1 ohm
Weight	101kg (each)
Dimensions (HxWxD)	940 x 256 x 383mm (each)

Price: 389 000 AED/Pc.



| STATEMENT





500 SERIES

Performance without limits



ND 555 Network Audio Player

Digital Audio Output	1 x BNC S/PDIF (up to 24bits/192 kHz)
Analogue Outputs	1 x RCA pair, 1 x 5-pin DIN
USB	2 x USB Type A socket (front and rear)
Digital Inputs	2 x Optical TOSLink, 1 x Coaxial RCA, 1 x Coaxial BNC
Dimensions (HxWxD)	3 ⁵ / ₈ "x17x12 ⁵ / ₈ " (8.7x43.2x31.4cm)
Weight	27.56lbs (12.25kg)

Price: 91 000/AED/Pc.



NAC 552 Preamp

Analogue inputs	7 x DIN, 2 x RCA
Dimensions (HxWxD)	3.4"x13.4"x 12.3" (8.7x43.2x31.4cm)
Weight	12.9 kg

Price: 83 990 AED/Pc.



NAPS 555 DR Power supply

Digital Inputs	± 22V, ± 10V, 12V, 2 x 15V
Mains Supply	100V, 115V, 230V; 50 or 60Hz
Dimensions (HxWxD)	3.4x13.4x12.3" (8.7x43.2x31.4cm)
Weight	34.6lbs (15.7kg)

Price: 42 990 AED/Pc.



552 PS Power supply

Description	Power supply for Naim NAC 552 preamplifier
Dimensions (HxWxD)	3.4"x13.4"x12.3"(87x432x314 cm)
Weight	28.4lbs (12.9kg)

Price: 49 990 AED/Pc.



300 SERIES

New Classic - Welcome to a new era in sound



NAP 350 Amplifier

Power output	175 Watts 8Ω @0.1% THD+N (195W @1%), 345 Watts 4Ω @1% THD+N
Frequency response	-3dB @ 1.4Hz to 100kHz
Inputs	1 x 47kΩ True balanced via XLR 1 x 34kΩ singled ended via legacy adaptor lead
Dimensions (HxWxD)	3 ⁵ / ₈ x 17 x 12 ¹ / ₂ " (9.15 x 43.2 x 31.75cm)
Weight	36.38lbs (16.5kg)

Price: 29 990 AED/Pc.



NSS-333 High-resolution streamer

Analogue outputs	1 x XLR pair (balanced, 2.1Vrms), 1 x RCA pair (2.1Vrms), 1 x 5-pin DIN
Digital inputs (S/PDIF)	2 x Optical TOSLINK, 1 x coaxial RCA, 1 x coaxial BNC
Digital outputs (S/PDIF)	1 x coaxial BNC (up to 24bit 192kHz)
Dimensions (HxWxD)	35/8 x 17 x 12 ¹ / ₂ " (9.15 x 43.2 x 31.75cm)
Weight	24.25lbs (11kg)

Price: 37 490/Pc.



NAC-332 Preamplifier

Analogue inputs	1 x 8-pin DIN, 2 x 5-pin DIN, 3 x RCA pair, 2 x XLR balanced pair, 8-pin DIN compatible with 5-pin DIN
Analogue outputs	1 x XLR pair, 1 x RCA pair, 1 x 6.35mm headphone jack
Frequency response	Line: 3Hz to 40kHz -3dB
Dimensions (HxWxD)	3 ⁵ / ₈ x 17 x 12 ¹ / ₂ " (9.15 x 43.2 x 31.75cm)
Weight	24.25lbs (11kg)

Price: 37 490 AED/Pc.



NPX-300PS Power supply

Description	Ideal for the 300 and 200 Series sources and preamplifiers.
Dimensions (HxWxD)	35/8 x 17 x 12 ¹ / ₂ " (9.15 x 43.2 x 31.75cm)
Weight	31.75lbs (14.4kg)

Price: 29 990 AED/Pc.



NVC-TT MM/MC phono preamplifier

Description	Switchable MM/MC phono stage with MC load adjustment
Dimensions (HxWxD)	23/4 x 83/8 x 12 ¹ / ₂ " (7 x 21.4 x 31.7cm)
Weight	7.5lbs (3.4kg)

Price: 12 990 AED/Pc.



NPX TT Power supply

Description	Dedicated power supply for the NVC TT
Dimensions (HxWxD)	2 ³ / ₄ x 8 ³ / ₈ x 13" (7 x 21.4 x 33cm)
Weight	12.35lb (5.6kg)

Price: 12 371 AED/Pc.



200 SERIES

New Classic - Welcome to a new era in sound



NSC-222 Streaming preamplifier

Analogue inputs	1 x moving magnet phono, 1 x 8-pin DIN, 1 x RCA, 8-pin DIN compatible with 5-pin DIN
Analogue Outputs	1 x XLR pair, 1 x RCA pair, 1 x 6.35mm headphone jack
USB	2 x USB Type A socket (front and rear - 1.6A charge)
Digital Inputs (S/PDIF)	2 x Optical TOSLINK, 1 x coaxial RCA, 1 x coaxial BNC
Dimensions (HxWxD)	3 ⁵ / ₈ "x17"x12 ¹ / ₂ " (9.15x43.2x31.75cm)
Weight	24.25lbs (11kg)

Price: 29 990 AED/Pc.



NAP-250 Power Amplifier

Power output	100 Watts 8Ω @0.1% THD+N (100W @0.1%) 190 Watts 4Ω @1% THD+N
Frequency response	-3dB @ 1.4Hz to 100kHz
Inputs	2 x True balanced via XLR, 47kΩ 34kΩ singled ended via legacy adaptor lead
Dimensions (HxWxD)	3 ⁵ / ₈ "x17"x12 ¹ / ₂ " (9.15x43.2x31.75cm)
Weight	37.04lbs (16.8kg)

Price: 29 990 AED/Pc.



NPX-300PS Power supply

Description	Ideal for the 300 and 200 Series sources and preamplifiers.
Dimensions (HxWxD)	35/8x17x121/2" (9.15 x 43.2 x 31.75cm)
Weight	31.75lbs (14.4kg)

Price: 29 990 AED/Pc.



| 200 SERIES





UNITI

Transform your listening life



UNITI ATOM HDMI Streaming Amplifier

Analogue inputs	1 x Stereo RCA pair
Analogue outputs	1 x Stereo power amplifier, 1 x RCA sub/pre output
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA
Dimensions (HxWxD)	3.75"x9.44"x 10.43" (9.5x24.5x26.5cm)
Weight	7kg

Price: 11 990 AED/Pc.



UNITI ATOM HEADPHONE Streaming Amplifier

Analogue inputs	1 x Stereo RCA pair
Analogue outputs	1 x Stereo XLR Preamp output, 1 x RCA sub/pre output
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA
Dimensions (HxWxD)	3.75"x9.44"x 10.43" (9.5x24.5x26.5cm)
Weight	7kg

Price: 11 990 AED/Pc.



UNITI STAR Streaming Amplifier

Analogue inputs	1 x RCA, 1 x 5-pin DIN
Analogue outputs	1 x Stereo power amplifier, 1 x RCA pair, 1 x 3.5mm headphone jack
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA, 1 x coaxial BNC
Dimensions (HxWxD)	3.75"x16.9"x 10.43" (9.5x43.2x26.5cm)
Weight	12kg

Price: 17 990 AED/Pc.



UNITI NOVA Streaming Amplifier

Analogue inputs	2x 5-pin DIN, 2 x RCA
Analogue outputs	1 x Stereo power amplifier, 1 x 4-pin DIN, 1 x RCA pair, 1 x 3.5mm headphone jack
Digital inputs	2 x optical TOSLink, 1 x RCA coaxial, 1 x BNC coaxial
Dimensions (HxWxD)	3.75"x16.9"x 10.43" (9.5x43.2x26.5cm)
Weight	13kg

Price: 21 990 AED/Pc.



UNITI NOVA PE Streaming Amplifier

Analogue inputs	2x 5-pin DIN, 2 x RCA
Analogue outputs	1 x Stereo power amplifier, 1 x 4-pin DIN, 1 x RCA pair, 1 x 3.5mm headphone jack
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA, 1 x coaxial BNC
Dimensions (HxWxD)	4.33"x16.9"x10.43" (11.6x43.2x26.5cm)
Weight	15.1kg

Price: 42 990 AED/Pc.



MU-SO

Excellence Remastered



MU-SO 2ND GENERATION

All-in-One System

Product type	All-in-one System - 6 Speakers
Analogue Input	1 x 3.5mm jack
Digital inputs	1x Optical S/PDIF up to 96khz
Other inputs	HDMI ARC (with CEC)
USB ports	USB2 (Type A connector)
Dimensions (HxWxD)	4.72"x24.4"x9.44" (12.2x62.8x24.6cm)
Weight	11.2kg

Price: 4 599 AED/Pc.



MU-SO GRILL

Grills for Mu-so 2nd Generation

Finishes	Olive, Peacock, Terracotta
----------	----------------------------

Price: 299 AED/Pc.




MU-SO QB 2ND GENERATION

Compact wireless speaker

Analogue inputs	1 x 3.5mm jack
Digital inputs	1x Optical S/PDIF up to 96khz
Power Output	300 W - (4 x 50 W, 1 x 100 W)
USB ports	USB2 (Type A connector)
Speaker system	Stereo 3-way; dsp-optimised dual auxiliary bass radiator acoustic system
Dimensions (HxWxD)	8.6"x8.26"x8.26" (21.8x21.2x21cm)
Weight	5.6kg

Price: 3 599 AED/Pc.



MU-SO QB GRILL

Grills for Mu-so QB 2nd Generation

Finishes	Terracotta, Peacock, Olive
----------	----------------------------

Price: 299 AED/Pc.



CI SERIES

The best in integrated audio



CI-NAP 101 Mono power amplifier

Power low impedance	8Ω - 500W / 4Ω - 800W
Power high impedance	100V - 240W / 70V - 150W
Audio Inputs	Analogue - stereo RCA, Combined to mono (47kΩ)
Audio Outputs	Line - Stereo RCA, Low Impedance/70V/100V - Euroblock
Dimensions (HxWxD)	13/4x173/8x113/4" (4.45x44x 30cm)
Weight	19.6lbs (8.9kg)

Price: 6 490 AED/Pc.



CI-NAP 108 8-channel power amplifier

Power low impedance	8Ω - 150W / 4Ω - 260W
Power high impedance	-
Audio Inputs	Analogue - RCA (47kΩ)
Audio Outputs	Line - RCA, Speakers - Euroblock
Dimensions (HxWxD)	25/8x173/8x113/4" (6.66x44x30cm)
Weight	15.4lbs (7.7kg)

Price: 12 990 AED/Pc.



CI-UNITI 102 Streamer Amplifier

Number of channels	Line - 4, Amp -2
Power low Impedance	8Ω - 150W, 4Ω - 260W
Audio Inputs	Analogue - Stereo RCA, S/PDIF, HDMI eARC
Audio Outputs	Main: 1 Stereo RCA, Amplified: Terminal block / Euroblock / Banana connector - 4mm, Sub/Aux : 1 Stereo RCA
Dimensions (HxWxD)	13/4 x 113/4 x 113/4" (4.45x30x30cm)
Weight	9.9lbs (4.5kg)

Price: 6 490 AED/Pc.



| CI SERIES





2506, 25th Floor Iris Bay Tower, Business Bay, Dubai
tel. +971 50 559 3563 | e-mail: ba@bonhifi.com
bonhifi.com