



PROFESSIONAL COLLECTION PRICELIST 2026





ALPHA EVO

Reveal everything

Dedicated to music production, Alpha Evo studio monitors are characterised by exceptional dynamics, multiple features and their robust, compact design. Made for professional mixing and producing in very heterogeneous environments and incorporating new technologies, Alpha Evo guarantees excellent sonic coherence wherever you are working and makes Focal professional sound accessible to everyone.



ALPHA 50 EVO

Active 2-way studio monitor

Speaker drivers	25mm (1") with aluminium inverted dome tweeter, 5" (13cm) Slatefiber cone woofer
Frequency response (±3dB)	45Hz - 22kHz
Inputs Connectors	TRS, XLR, RCA
Dimensions	12.2 x 9 x 9.41" (310 x 228 x 239mm)
Weight	13.1lbs (5.95kg)

Price: 1 295 AED/Pc.



ALPHA 65 EVO

Active 2-way studio monitor

Speaker drivers	25mm (1") with aluminium inverted dome tweeter, 6.5" (16.5cm) Slatefiber cone woofer
Frequency response (±3dB)	40Hz - 22kHz
Inputs Connectors	TRS, XLR, RCA
Dimensions	13.35 x 10.28 x 11.38" (339 x 261 x 289 mm)
Weight	16.8lbs (7.6kg)

Price: 1 645 AED/Pc.



ALPHA 80 EVO

Active 2-way studio monitor

Speaker drivers	25mm (1") with aluminium inverted dome tweeter, 8" (20cm) Slatefiber cone
Frequency response (±3dB)	38Hz - 22kHz
Inputs Connectors	TRS, XLR, RCA
Dimensions	15.35 x 11.65 x 13" (390 x 296 x 330mm)
Weight	21.6lbs (9.8kg)

Price: 1 995 AED/Pc.



ALPHA TWIN EVO

Active 2.5-channel studio monitor

Speaker drivers	25mm (1") with aluminium inverted dome tweeter, 2 x 6.5" (16.5cm) Slatefiber cone
Frequency response (±3dB)	38Hz - 22kHz
Inputs Connectors	TRS, XLR, RCA
Dimensions	10.24 x 21.65 x 11.41" (260 x 550 x 290mm)
Weight	26.9lbs (12.2kg)

Price: 2 445 AED/Pc.



SUB ONE

Active professional subwoofer

Speaker drivers	2 x 8" (20cm) long-excursion Focal speaker drivers with "Slatefiber" cone
Frequency response (±3dB)	32Hz - 120Hz
Inputs Connectors	Left, Right, LFE 3-point female XLR
Dimensions	18 ^{5/4"} x 11 ^{3/4"} x 19 ^{3/4"} (475 x 310 x 520mm)
Weight	40.8lbs (18.5kg)

Price: 3 695 AED/Pc.



HANDCRAFTED
IN FRANCE

SHAPE

Beyond the curve!

The three monitors in the Shape range feature five innovations aimed at providing even more transparency. Designed for nearfield listening needs, they combine clever design with settings that respond to the acoustic features of small spaces. Shape is characterised by the precision of sound reproduction, as much in its tonal balance as its stereo image.



SHAPE 50

Monitoring speaker

Speaker drivers	1" (25mm) 'M' profile Aluminum - Magnesium tweeter, 5" (13cm) Flax Cone woofer
Frequency response (±3dB)	50Hz - 35kHz
Inputs Connectors	XLR, RCA
Dimensions	12.3 x 7.5 x 9.5" (312 x 191 x 242mm)
Weight	14.3lbs (6.5kg)

Price: 2 845 AED/Pc.



SHAPE 65

2-way monitoring speaker

Speaker drivers	1" (25mm) 'M' profile Aluminum - Magnesium tweeter, 6.5" (16.5cm) Flax Cone woofer
Frequency response (±3dB)	40Hz - 35kHz
Inputs Connectors	XLR, RCA
Dimensions	14 x 8.6 x 11.2" (355 x 218 x 285 mm)
Weight	18.7lbs (8.5kg)

Price: 3 455 AED/Pc.



SHAPE TWIN

Monitoring speaker

Speaker drivers	1" (25mm) 'M'-shaped Aluminum - Magnesium tweeter, 2 x 5" (13cm) Flax Cone woofers
Frequency response (±3dB)	40Hz - 35kHz
Inputs Connectors	XLR, RCA
Dimensions	18.8 x 8.3 x 11" (478 x 211 x 279mm)
Weight	24lbs (11kg)

Price: 4 345 AED/Pc.



HANDCRAFTED
IN FRANCE

SM6

Keep focus and mix on!



The Trio11 Be is the flagship studio monitor of the SM6 line and is highly versatile. It is designed for studios that require monitors capable of revealing the complete range of audio signals. Incorporating Focal's advanced technology, it ensures a high level of neutrality and precision in stereo imaging within its price range.

TRIO11 BE

Nearfield and midfield monitoring speaker

Tweeter	TB872 - Focal 1" pure Beryllium inverted dome tweeter
Médium	5W04702 - Focal 5 ^{1/8"} (13cm) speaker driver with 'W' composite sandwich cone
Subwoofer	10W96701D - Focal 9 ^{15/16"} (25cm) speaker driver with 'W' composite sandwich cone
Frequency response	3-way mode: 30Hz - 40kHz (+/- 3dB) 2-way mode (Focus): 90Hz - 20kHz (+/- 3dB)
Inputs Connectors	Electronically balanced / 10KOhms XLR
Dimensions	25" x 13 ^{9/16"} x 17 ^{3/4"} (635 x 345 x 450mm)
Weight	82.2lbs (37.3kg)

Price: 18 800 AED/Pc.

HANDCRAFTED
IN FRANCE

ST6

Only sound, nothing else

The ST6 line provides a range of professional equipment at the cutting edge of technology. Innovative additions to the drive units have really benefited the rendering, resulting in outstanding reliability and extreme precision. Packed with features like a disengageable stand-by mode, highpass filter, focus mode, and more. The Trio6, Twin6 et Solo6 monitors can be extended by the Sub12 — the perfect partner for powerful bass.



SOLO6

2-way monitor

Speaker drivers	1.5" (38mm) Beryllium tweeter 6.5" (16.5cm) "W" cone
Frequency response	40Hz - 40kHz
Inputs Connectors	Balanced XLR 10 kΩ
Finishes	Red, Black
Dimensions	131/8"x93/4"x115/8" (33.4x24.6x29.5cm)
Weight	28.6lbs (13kg)

Price: 6 495 AED/Pc.



TRIO6

3-way monitor

Speaker drivers	Bass: 8" „W“ cone, Midrange: 5" „W“ cone, Treble: 1.5" Beryllium
Frequency response (±3dB)	35Hz - 40kHz
Inputs Connectors	Balanced XLR 10kΩ
Finishes	Red, Black
Dimensions	211/8"x111/2"x141/2", (53.7 x 29.2 x 36.9cm)
Weight	55.12lbs (25kg)

Price: 13 195 AED/Pc.



TWIN6

2.5-way monitor

Speaker drivers	Bass: 2 x 6.5" (16.5cm) "W" cone, Treble: 1.5" (38mm) Beryllium
Frequency response (±3dB)	40Hz - 40kHz
Inputs Connectors	Balanced XLR 10 kΩ
Finishes	Red
Dimensions	1011/8"x2011/4"x131/2" (25.8x51.4x34.4cm)
Weight	48.5lbs (22kg)

Price: 9 995 AED/Pc.



SUB12

Professional subwoofer

Speaker driver	1 x 13" (33cm) x "W" cone
Frequency response (±3dB)	28Hz - 400Hz
Inputs Connectors	Balanced XLR LFE 10kΩ, Left & Right 10kΩ
Finishes	Red
Dimensions	2351/8"x191/8"x223/8" (60x48.7x56.8cm)
Weight	127.8lbs (58kg)

Price: 13 195 AED/Pc.



HANDCRAFTED
IN FRANCE

UTOPIA MAIN

The apex of monitoring

With Utopia Main, main monitoring has never been so exceptional. Featuring innovative loudspeakers, a long-excursion subwoofer, remote current-mode amplification, high-end design, and impressive power, these monitoring speakers are the result of monumental work in acoustics and electronics. They deliver unmatched precision in the studio, providing an unparalleled experience for recording, mixing, and mastering. In a word: excellence.



UTOPIA MAIN 112 BE BUNDLE

3-way monitor

Maximum SPL	120dB
Tweeter	1.5" (38mm) ,M'-shaped Beryllium
Midrange	5" (12.7cm) ,M'-shaped ,W' cone
Woofer	13" (33cm) ,W' cone
Frequency response	28Hz-40kHz
Inputs Connectors	Balanced XLR 10kΩ
Dimensions (loudspeaker)	37" x 20 7/8" x 18 1/8" (94 x 53 x 46cm)
Weight (loudspeaker)	171lb (77.6kg)

Price: 114 000 AED/Pc.



UTOPIA MAIN 212 BE BUNDLE

3.5-way monitor

Maximum SPL	123dB
Tweeter	1.5" (38mm) ,M'-shaped Beryllium
Midrange	2 x 5" (12.7cm) ,M'-shaped ,W' cone
Woofer	2 x 13" (33cm) ,W' cone
Frequency response	28Hz-40kHz
Inputs Connectors	Balanced XLR 10kΩ
Dimensions (loudspeaker)	31 3/8" x 41 3/8" x 18 1/8" (79.6 x 105 x 46cm)
Weight (loudspeaker)	263.4lb (119.5kg)

Price: 199 500 AED/Pc.



HANDCRAFTED
IN FRANCE

HEADPHONES

Expect the best

Designed for the most demanding sound engineers and producers, our professional headphones are versatile, high-performance tools to help you succeed in all your projects.



LENSYS PROFESSIONAL

Closed-back headphones of excellence

Impedance	26Ω
Frequency response	5Hz - 22kHz
Sensitivity	100dB SPL / 1mW @ 1kHz
Speaker driver	1 ⁵ / ₈ " (40mm) ,M'-shaped aluminium/magnesium dome
Weight	306g (without carrying case)

Price: 3 095 AED/Pc.



CLEAR MG PROFESSIONAL

Excellent open-back headphones

Impedance	55Ω
Frequency response	5Hz - 28kHz
Sensitivity	104dB SPL / 1mW @ 1kHz
Speaker driver	1 ⁵ / ₈ " (40mm) 'M'-shaped magnesium dome
Weight	0.99lbs (450g)

Price: 6 495 AED/Pc.



LISTEN PROFESSIONAL

Closed-back headphones for professionals

Impedance	32 Ohms
Frequency response	5Hz-28kHz
Sensitivity	122dB SPL @ 1kHz - / 1Vrms
Speaker driver	1 ⁹ / ₁₆ " (40mm) paired transducer with a Mylar/Titanium cone
Weight	10oz (280g)

Price: 1 145 AED/Pc.



2506, 25th Floor Iris Bay Tower, Business Bay, Dubai
tel. +971 50 559 3563 | e-mail: ba@bonhifi.com
bonhifi.com