



CUSTOM INSTALL PRICELIST 2026





HANDCRAFTED
IN FRANCE

100 SERIES

Discreet musicality

A comprehensive solution for your home audio needs, indoors and outdoors, the 100 Series offers outstanding performance from a compact design. The range is ideal for small-to-medium-sized rooms, for seamless sound throughout the house, stereo listening or Home Cinema installations. The tropicalised Polyglass cone is even suited for bathroom use too.



100 ICW5
2-way coaxial in-wall/in-ceiling

Speaker drivers	5" (13cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter
Frequency response	65Hz - 23kHz
Dimensions (HxWxD ou ØxD)	7 1/4 x 3 7/16" (18.4 x 8.7cm)
Mounting depth	3 1/4" (8.2cm)
Weight (by unit)	3.19lbs (1.45kg)

Price: 799 AED/Pc.



100 ICW6
2-way coaxial in-wall/in-ceiling

Speaker drivers	6 1/2" (16.5cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter
Frequency response	62Hz - 23kHz
Dimensions (HxWxD ou ØxD)	8 3/16 x 3 3/4" (20.8 x 9.5cm)
Mounting depth	3 3/4" (9.1cm)
Weight (by unit)	3.3lbs (1.5kg)

Price: 999 AED/Pc.



100 ICW8
2-way coaxial in-wall/in-ceiling

Speaker drivers	8" (21cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter
Frequency response	53Hz - 23kHz
Dimensions (HxWxD ou ØxD)	9 3/4 x 4 3/8" (24.8 x 11.1cm)
Mounting depth	4 1/4" (10.7mm)
Weight (by unit)	3.86lbs (1.75kg)

Price: 1 199 AED/Pc.



100 IC6ST
2-way stereo coaxial in-ceiling

Speaker drivers	6 1/2" (16.5cm) Dual voice coil Polyglass Mid-Bass, 2 x 1" (25mm) Aluminium inverted dome tweeter
Frequency response	60Hz - 23kHz
Dimensions (HxWxD ou ØxD)	8 3/16 x 3 3/4" (20.8 x 9.5cm)
Mounting depth	3 5/8" (9.1cm)
Weight (by unit)	3.86lbs (1.75kg)

Price: 1 099 AED/Pc.



100 ICLCR5
2-way in-ceiling

Speaker drivers	2 x 5" (13cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter, 8" (21cm) Polyglass Passive radiator
Frequency response	65Hz - 23kHz
Dimensions (HxWxD ou ØxD)	14 x 14 x 5 5/16" (35.4 x 35.4 x 15cm)
Mounting depth	6" (15.2cm)
Weight (by unit)	11.6lbs (5.3kg)

Price: 2 199 AED/Pc.



100 IW6
2-way in-wall

Speaker drivers	6 1/2" (16.5cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter
Frequency response	60Hz - 23kHz
Dimensions (HxWxD ou ØxD)	11 3/4 x 7 5/8 x 3 5/8" (29.8 x 19.5 x 9.2cm)
Mounting depth	3 1/2" (8.8cm)
Weight (by unit)	4.1lbs (1.85kg)

Price: 999 AED/Pc.



100 IWLCR5

2-way in-wall D'Appolito

Speaker drivers	2 x 5" (13cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter
Frequency response	55Hz - 23kHz
Dimensions (HxWxD ou ØxD)	173/8 x 63/4 x 33/8" (44 x 17.3 x 8.6cm)
Mounting depth	31/4" (8.3cm)
Weight (by unit)	3.89lbs (2.9kg)

Price: 1 299 AED/Pc.



100 IWSUB8 AMPLIFIER

Subwoofer amplifier

Power	Max 200W, 150W continuous 4Ω
Frequency response	20 - 250Hz
Dimensions (HxWxD ou ØxD)	1.8" (2" with feets) x 16.9" (19" with rack brackets) x 10.1"
Weight (by unit)	6.8lbs (3.1kg)

Price: 4 099 AED/Pc.



100 IWSUB8

Passive subwoofer

Speaker drivers	8" (21cm) Polyglass Woofer
Frequency response	34 - 140Hz
Dimensions (HxWxD ou ØxD)	137/8 x 37/8 x 513/16" (130 x 9.8 x 35.2cm)
Mounting depth	33/8" (8.6cm)
Weight (by unit)	32.3lbs (14.6kg)

Price: 2 399 AED/Pc.



PACK 100 IWSUB8 & 100 IWSUB8 AMPLIFIER

Price: 5 599 AED/Pc.



PACK 2 x 100 IWSUB8 & 100 IWSUB8 AMPLIFIER

Price: 7 299 AED/Pc.



100 OD6

Outdoor speaker

Speaker drivers	Aluminum inverted dome tweeter 61/2" (165mm) waterproof woofer with Polyglass treatment
Frequency response	65Hz-23kHz
Dimensions (L x P x H) with brackets	8.8 x 10.1 x 12.6" (224 x 256 x 319mm)
Finishes	Black, White
Weight (by unit)	9lbs (4.1kg)

Price: 999 AED/Pc.



100 OD8

Outdoor speaker

Speaker drivers	Aluminum inverted dome tweeter 8" (210mm) waterproof woofer with Polyglass treatment
Frequency response	60Hz-23kHz
Dimensions (HxWxD ou ØxD)	10.2 x 11 x 15.4" (258 x 280 x 390mm)
Finishes	Black, White
Weight (by unit)	12.6lbs (5.8kg)


Price: 1 199 AED/Pc.



FIRE RATED BACKCAN

Compability	ELECTRA IC1002, 300 ICW4, 300 ICW6, 300 IW6, 100 ICW5, 100 ICW6, 100 IC6ST, 100 ICW8, 100 IW6
External dimensions (HxWxD)	1813/16x1831/32x555/64" (478 x 482 x 149mm)
Net weight (with front grille)	6.6lbs (3.85kg)

Price: 699 AED/Pc.



PRE-MOUNTING KIT

Discription

Thanks to the mounting bracket you will easily and precisely install your in-wall or in-ceiling loudspeaker. It includes a fixing strip combined to a frame for the location.

Price: 129 AED/Pc.



MOUNTING KIT C-RING

Compability	100ICS6, 100IC8
Discription	This new-construction bracket is designed for the Focal 100ICS6 and 100IC8 in-ceiling speakers. Attach the bracket to the ceiling joists before the drywall goes up to mark the speaker location for your builders. This ensures precise speaker placement, and helps make your installation go smoother.

Price: 299 AED/Pc.



100 T SERIES

The sound of large spaces

To enable you to cover a large listening area, Focal has designed the 100-T Series loudspeakers. They incorporate a transformer that adapts their power for 70 V/100 V installations. The low directionality of the loudspeakers ensures homogeneous musicality throughout the room, while Focal know-how guarantees a perfect acoustic signature.



100 ICW5 T

In-wall/In-ceiling - 2-way coaxial for 100V/70V line installation

Speaker drivers	5" (13cm) Polyglass Midbass, 1" (25mm) Aluminium inverted dome Tweeter
Frequency response	65Hz - 23kHz
External dimensions (Ø/Depth)	71/4x4" (184x100mm)
Depth from wall	33/4" (96mm)
Total weight (with packaging)	5.29lbs (2.4kg)

Price: 999 AED/Pc.



100 ICW6 T

In-wall/In-ceiling - 2-way coaxial for 100V/70V line installation

Speaker drivers	61/2" (16.5cm) Polyglass Midbass, 1" (25mm) Aluminium inverted dome Tweeter
Frequency response	62Hz - 23kHz
External dimensions (Ø/Depth)	83/16x33/4" (208x95mm)
Depth from wall	35/8" (91mm)
Total weight (with packaging)	6.61lbs (3kg)

Price: 1 199 AED/Pc.



100 ICW8 T

In-wall/In-ceiling - 2-way coaxial for 100V/70V line installation

Speaker drivers	8" (21cm) Polyglass Midbass, 1" (25mm) Aluminium inverted dome Tweeter
Frequency response	53Hz - 23kHz
External dimensions (Ø/Depth)	93/4x43/8" (248x111mm)
Depth from wall	41/4" (107mm)
Total weight (with packaging)	8lbs (3.6kg)

Price: 1 299 AED/Pc.



100 OD 6 T

Outdoor loudspeaker

Speaker drivers	Aluminum inverted dome tweeter 61/2" (165mm) waterproof woofer with Polyglass treatment
Frequency response	65Hz-23kHz
Dimensions (LxPxH) with brackets	8.8x10.1x12.6" (224x256x319mm)
Finishes	Black, White
Mounting depth	35/8" (9.1cm)
Net weight with brackets	9lbs (4.1kg)

Price: 1 299 AED/Pc.



100 OD 8 T

Outdoor loudspeaker

Speaker drivers	2 x 5" (13cm) Polyglass Mid-Bass, 1" (25mm) Aluminium inverted dome tweeter, 8" (21cm) Polyglass Passive radiator
Frequency response	65Hz - 23kHz
Dimensions (HxWxD ou ØxD)	14 x 14 x 55/16" (35.4 x 35.4 x 15cm)
Mounting depth	6" (15.2cm)
Weight (by unit)	11.6lbs (5.3kg)

Price: 1 499 AED/Pc.



300 SERIES

A source of inspiration...

Bring a whole new vibe to your spaces with the 300 Series and its natural flax cone speaker drivers. In addition to the acoustic qualities and sound clarity they offer, the products are innovatively designed and quick to fit, thanks to the Easy Quick Install® (EQI) system. Whether for stereo or Home Cinema use, or as a complement to a traditional hi-fi system, all you have to do is make your choice and enjoy.



300 ICLCR 5

3-way in-ceiling

Speaker drivers	2 x 5" (13cm) Flax woofers, 4" (10cm) Flax midrange, 1" (25mm) Al/Mg inverted dome tweeter
Frequency response	55Hz - 28kHz
External dimensions (HxWxD)	13 ^{3/8"} x 13 ^{3/8"} (340 x 340mm)
Cut-Out diameter (HxL)	7 ^{1/2"} (190mm)
Net weight (with front grille)	16.3 lbs (7.4kg)

Price: 3 999 AED/Pc.



300 ICW4

2-way wall and ceiling speaker

Speaker drivers	4" (10cm) Flax Mid-bass 1" (25mm) Al/Mg inverted dome Tweeter
Frequency response	80Hz - 28kHz
Dimensions (Ø/Depth)	7 ^{9/16"} x 3 ^{55/64"} (192x98mm)
Cut-Out diameter	6 ^{27/64"} (163mm)
Net weight (with grille)	2.6 lbs (1.3kg)

Price: 1 499 AED/Pc.



300 ICW6

2-way wall and ceiling speaker

Speaker drivers	6 ^{1/2"} (16.5cm) Flax Mid-bass, 1" (25mm) Al/Mg inverted dome Tweeter
Frequency response	65Hz - 28kHz
Dimensions (HxWxD ou ØxD)	9 ^{39/64"} x 4 ^{96/64"} (244x105mm)
Cut-Out diameter	8 ^{1/2"} (216mm)
Net weight (with grille)	5.29 lbs (2.4kg)

Price: 1 799 AED/Pc.



300 ICW8

2-way coaxial speaker

Speaker drivers	8" (21cm) Flax Mid-bass 1" (25mm) Al/Mg inverted dome Tweeter
Frequency response	48Hz - 28kHz
Dimensions (Ø/depth)	11 ^{49/64"} x 5" (299x127mm)
Cut-Out diameter	10 ^{256/64"} (264mm)
Net weight (with grille)	7.05 lbs (3.2kg)

Price: 1 999 AED/Pc.



300 IWLCR 6

3-way wall speaker

Speaker drivers	2 x 6 ^{1/2"} (16.5cm) woofers, 4" (10cm) Flax midrange, 1" (25mm) Al/Mg inverted dome tweeter
Frequency response	40Hz - 28kHz
External dimensions (HxWxD)	23 ^{5/8"} x 8 ^{11/16"} x 3 ^{7/8"} (600 x 220 x 98mm)
Cut-Out diameter (HxL)	22 ^{3/8"} x 7 ^{1/2"} (568 x 191mm)
Net weight (with front grille)	12.4lbs (5.65kg)

Price: 3 899 AED/Pc.



300 IW6

2-way wall speaker

Speaker drivers	6 ^{1/2"} (16.5cm) flax cone woofer, 1" (25mm) Al/Mg inverted dome tweeter
Frequency response	55Hz - 28kHz
External dimensions (HxWxD)	12 ^{3/4"} x 8 ^{11/16"} x 3 ^{7/8"} (323 x 220 x 98mm)
Cut-Out diameter (HxL)	11 ^{1/2"} x 7 ^{1/2"} (292 x 191mm)
Net weight (with front grille)	4.9lbs (2.25kg)

Price: 2 499 AED/Pc.



300 ICA6

Coaxial ceiling speaker with angle

Speaker drivers	6 1/2" (16.5cm) Flax Mid-bass, 1" (25mm) Aluminium/Magnesium inverted dome tweeter
Frequency response	65Hz - 28kHz
Size (Ø x depth)	11 3/4" x 5" (299x127mm)
Mounting diameter (Ø)	10 3/8" (264mm)
Net weight (with grille)	6.6 lbs (3kg)


Price: 2 199 AED/Pc.



FIRE RATED BACKCAN

Compability	ELECTRA IC1002, 300 ICW4, 300 ICW6, 300 IW6, 100 ICW5, 100 ICW6, 100 IC6ST, 100 ICW8, 100 IW6
External dimensions (HxWxD)	1813/16x1831/32x555/64" (478 x 482 x 149mm)
Net weight (with front grille)	6.61lbs (3.85kg)

Price: 699 AED/Pc.



PRE-MOUNTING KIT

Discription	Thanks to the mounting bracket you will easily and precisely install your in-wall or in-ceiling loudspeaker. It includes a fixing strip combined to a frame for the location.
-------------	---

Price: 199 AED/Pc.



1000 SERIES

Invisible excellence

Made in France, the 1000 Series integrated loudspeakers embody the very best of Focal's expertise in demonstrative listening. This sophisticated line is a truly discreet alternative to a traditional audio installation in your home, for unparalleled musical and Home Cinema experiences. Quite simply, the excellence of Focal sound.



1000 ICW6 2-Way in-wall/in-ceiling

Speaker drivers	6 1/2" (16.5cm) 'W' Midrange/Bass 1" (25mm) Pure Beryllium inverted dome tweeter
Frequency response	55Hz - 40kHz
Size (Ø x depth)	9 5/8" x 4 1/8" (244 x 105mm)
Mounting diameter (Ø)	8 1/2" (216mm)
Net weight (with grille)	5.29lbs (2.4kg)

Price: 4 999 AED/Pc.



1000 ICA6 2-way coaxial ceiling speaker

Speaker drivers	6 1/2" (16.5cm) 'W' Midrange/Bass 1" (25mm) Pure Beryllium inverted dome tweeter
Frequency response	55Hz - 40kHz
Size (Ø x depth)	11 3/4" x 5" (299x127mm)
Mounting diameter (Ø)	10 3/8" (264mm)
Net weight (with grille)	6.61lbs (3kg)

Price: 4 999 AED/Pc.



1000 IW6 2-way in-wall speaker

Speaker drivers	6 1/2" (16.5cm) Bass/Midrange, 1" (27mm) Pure Beryllium inverted dome tweeter
Frequency response	55Hz - 40kHz
Mounting dimensions (H x L)	16 x 10 7/8" (406 x 276mm)
Mounting depth	3 7/8" (99mm)
Net weight (with grille)	14.88lbs (6.75kg)

Price: 8 199 AED/Pc.



1000 ICLCR5 2-way in-ceiling speaker

Speaker drivers	2 x 5 1/8" (13cm) 'W' cone Bass, 4" (10cm) 'W' cone Midrange, 1" (25mm) Beryllium inverted dome tweeter
Frequency response	53Hz - 40kHz
Ext. size (HxLxD)	14 5/8" x 14 5/8" x 7 5/8" (370x370x195mm)
Mounting dimensions (HxL)	13 3/8" x 13 3/8" (340x340mm)
Net weight (with grille)	18.30lbs (8.3kg)

Price: 9 999 AED/Pc.



1000 IWLCR6 3-way closed-back in-wall

Speaker drivers	7 1/8" (18cm) Passive radiator with 'W' cone 6 1/2" (16.5cm) Bass with 'W' cone, 3 1/8" (8cm), Midrange with 'W' cone, 1" (27mm) Pure Beryllium inverted dome tweeter
Frequency response	48Hz - 40kHz
Ext. size (H x L x D)	29 3/4" x 12 x 4" (755 x 305 x 101mm)
Mounting dimensions (H x L)	28 5/8" x 10 7/8" (726 x 276mm)
Net weight (with front grille)	24.14lbs (10.95kg)

Price: 12 999 AED/Pc.



1000 IWLCR Utopia 3-way closed-back in-wall

Speaker drivers	4 x 6 1/2" (16.5cm) 'W' cone Bass; 2 x 3 1/8" (8cm) 'W' cone 'M'-shaped midranges; 1" (27mm) pure Beryllium inverted dome tweeter
Frequency response	45Hz - 40kHz
Ext. size (H x L x D)	45 3/4" x 12 x 4" (1162 x 305 x 101mm)
Mounting dimensions (H x L)	44 5/8" x 10 7/8" (1134 x 276mm)
Net weight (with front grille)	42.77lbs (19.4kg)

Price: 34 499 AED/Pc.



1000 IWSUB Utopia

In-wall passive closed subwoofer

Speaker drivers	3 x 6 1/2" (16.5cm) Bass with 'W' cone
Bandwidth (+/-3dB)	40Hz - 2.5kHz
Mounting dimensions (H x L)	22 1/4 x 10 7/8" (564 x 276mm)
Mounting depth	3 7/8" (99mm)
Net weight (with grille)	21.16lbs (9.6kg)

Price: 13 499 AED/Pc.



ON WALL 1000 IWLCR6 FRAME

Mounted frame

Description	Optional wall solution for 1000 Series in-wall loudspeaker	
Dimensions (HxWxD)	30" x 15 1/16" x 4 5/8" 76.2 x 38.2 x 11.8 cm	
Weight	10.8lbs (4.9kg)	
Weight (with box)	14.33lbs (6.5kg)	
Finishes	White	Brut

Price: 1 499 AED/Set 1 299 AED/Pc.



ON WALL 1000 IWSUB UTOPIA FRAME

Description	Optional wall solution for 1000 Series in-wall loudspeaker	
Dimensions (HxWxD)	23 5/8" x 15 1/16" x 4 5/8" 60 x 38.2 x 11.8 cm	
Weight	8.60lbs (3.9kg)	
Weight (with box)	11.68lbs (5.3kg)	
Finishes	White	Brut

Price: 1 499 AED/Pc. 1 299 AED/Pc.



ON WALL 1000 IW6 FRAME

Mounted frame

Description	Optional wall solution for 1000 Series in-wall loudspeaker	
Dimensions (HxWxD)	17 5/8" x 15 1/16" x 4 5/8" 44.2 x 38.2 x 11.8 cm	
Weight	6.83lbs (3.1kg)	
Weight (with box)	9.26lbs (4.2kg)	
Finishes	White	Brut


Price: 1 199 AED/Pc. 999 AED/Set



ON WALL 1000 IWLCR UTOPIA FRAME

Description	Optional wall solution for 1000 Series Utopia in-wall loudspeaker	
Dimensions (HxWxD)	46" x 15 1/16" x 4 5/8" 116.85 x 38.2 x 11.8 cm	
Weight	13.23lbs (6kg)	
Weight (with box)	17.64lbs (8kg)	
Finishes	White	Brut

Price: 2 399 AED/Pc. 2 199 AED/Pc.



PRE-MOUNTING KITS

Description	These kits allow you to precisely position in-wall and in-ceiling products in new builds. They comprise a mounting strip combined with a frame for the perfect placement of your loudspeakers.	
Compatibility	1000 IWLCR UTOPIA, 2 X IWSUB UTOPIA, 1000 IWSUB UTOPIA, 1000 IWLCR UTOPIA & 1000 IWSUB UTOPIA, 1000 IWLCR UTOPIA & 2 X 1000 IWSUB UTOPIA, 1000 IWLCR6, 1000 IW6, 1000 ICW6, 1000 ICA6, 1000 ICLCR5	



HANDCRAFTED
IN FRANCE

UTOPIA CINEMA

Immersion on utopia scale

For uncompromising sound, from post-production to in-room listening, Focal engineers are constantly innovating. The UTOPIA CINEMA integration range combines cutting-edge technologies with unmatched craftsmanship, delivering sensational, tailor-made sound immersion for private cinema rooms of up to 200 m². With Cinema LCR and Cinema SUB, dialogue clarity and action scenes are rendered with exceptional precision, while maintaining a discreet installation.



Cinema LCR

3-way speaker

Speaker drivers	13" 'W' cone woofer 5" 'M'-shaped midrange with 'W' cone 1.5" 'M'-shaped beryllium tweeter
Sensitivity (2.83V/3feet - 1m)	93dB (250Hz)
Bandwidth (-3dB) 2Pi	35Hz-50kHz
Dimensions (HxWxD)	45 ^{7/8"} x13 ^{7/8"} x12 ^{13/16"} (116.5x35.2x32.6cm)
Mounting diameter (Ø)	8 ^{1/2"} (216mm)
Net weight	114.64lbs (52kg)

Price: 42 999 AED/Pc.



Cinema SUB

Subwoofer

Speaker drivers	2x13" 'W' cone woofers
Sensitivity (2.83V/3feet - 1m)	95dB (66Hz)
Bandwidth (-3dB) 2Pi	42Hz - 2500Hz
Mounting dimensions (H x L)	16 x 10 ^{7/8"} (406 x 276mm)
Dimensions (HxWxD)	45 ^{7/8"} x21 ^{5/8"} x12 ^{13/16"} (116.5x54.9x32.6cm)
Net weight	160.94lbs (73kg)

Price: 21 599 AED/Pc.



LITTORA 200

Resistance to all weathers

Garden, courtyard, terrace, yachts... Littora loudspeakers and speakers offer you the purity of Focal sound outdoors. Meeting international soundproofing certifications, the product line is perfectly resistant to even the most extreme weather conditions, so you can enjoy powerful sound for a long time to come.



LITTORA 200 ICW 6

2-Way outdoor inceilling speaker

Frequency response (+/- 3dB)	65 Hz - 28 kHz
Nominal Impedance	8 Ohms
Sensitivity	89dB
Mounting depth	3 ³ / ₄ " (95.5mm)
Diameter	6.5"

Price: 1 999 AED/Pc.



LITTORA 200 ICW 8

2-Way outdoor inceilling speaker

Frequency response (+/- 3dB)	48Hz - 28kHz
Nominal Impedance	8 Ohms
Sensitivity	90dB
Mounting depth	4 ¹ / ₂ " (113mm)
Diameter	8"

Price: 2 499 AED/Pc.



LITTORA 200 OD STONE 8

2-way outdoor speaker

Speaker drivers	8" (20cm) Midbass with Iris IP cone 1" (2.5cm) Aluminium ,M'-shaped tweeter
Bandwidth	45Hz - 28kHz
Sensitivity	89dB
Dimensions (W x D x H)	11 ³ / ₈ "x17 ⁵ / ₈ "x17 ³ / ₈ " (29 x 44 x 44cm)
Weight	14.3lbs (6.5kg)
Finish	Basalt, Limestone, Sand

Price: 2 799 AED/Pc.



LITTORA 200 OD SUB 12

External subwoofer

Speaker drivers	12" (30cm) woofer with Iris IP cone
Bandwidth	40Hz - 120Hz
Sensitivity	90dB
Dimensions (W x D x H)	15" x 36 ¹ / ₄ " x 22" (38 x 92 x 56cm)
Weight	41.89lbs (19kg)
Finish	Dark, Light

Price: 7 899 AED/Pc.



LITTORA 200 OD 4.1

4x OD Sat 5 and the OD Sub 12 outdoor speakers

	OD SAT 5	OD SUB 12
Speaker drivers	5" (13cm) Bass/ Midrange, Iris IP cone 1" (2.5cm) Aluminium ,M'-shaped tweeter	12" (30cm) woofer with Iris IP cone
Bandwidth	90Hz - 28kHz	40Hz - 120Hz
Dimensions (L x H x D)	12 ⁵ / ₈ " x 12 ⁵ / ₈ " x 8 ¹ / ₄ " (32 x 32 x 21 cm)	15" x 36 ¹ / ₄ " x 22" (38 x 92 x 56 cm)
Weight	5.5lbs (2.5kg)	41.8lbs (19kg)
Finish	Dark, Light	

Price: 12 999 AED/Pc.



LITTORA 200 OD SAT 5

2-way outdoor speaker

Speaker drivers	5" (13cm) Midbass, Iris IP cone 1" (2.5cm) Aluminium ,M'-shaped tweeter
Bandwidth	90Hz - 28kHz
Sensitivity	88dB
Dimensions (W x D x H)	12 ⁵ / ₈ " x 12 ⁵ / ₈ " x 8 ¹ / ₄ " (32 x 32 x 21 cm)
Weight	5.5lbs (2.5kg)
Finish	Dark, Light

Price: 2 399 AED/Pc.



HANDCRAFTED
IN FRANCE

LITTORA 1000

Resistance to all weathers

Experience sensational music-inspired emotion on dry land and at sea. Discreetly fitted in the walls and ceilings of yachts and premises located in coastal environments and spaces such as spas and steam rooms, these products are inspired by the Utopia line of in-wall/in-ceiling products to offer the best outdoor and indoor sound. Equipped with a brand new Fiber IP cone, they benefit from the international IP65 certification, guaranteeing their perfect waterproofing in marine and other wet environments.



LITTORA 1000 ICW8

2-way coaxial outdoor speaker

Frequency response (+/- 3dB)	45Hz - 40kHz
Nominal Impedance	8 Ohms
Sensitivity	91dB
Mounting depth	4 1/2" (112.7mm)
Diameter	8"

Price: 5 999 AED/Pc.



LITTORA 1000 ICW10

2-way coaxial outdoor speaker

Frequency response (+/- 3dB)	38Hz - 40kHz
Nominal Impedance	8 Ohms
Sensitivity	92dB
Mounting depth	4 3/4" (122mm)
Diameter	10"

Price: 6 499 AED/Pc.



LITTORA 1000 ICW SUB10

Outdoor in-ceiling subwoofer

Frequency response (+/- 3dB)	25Hz - 500Hz
Nominal Impedance	8 Ohms
Sensitivity	90dB
Mounting depth	4 7/8" (123mm)
Diameter	10"

Price: 5 499 AED/Pc.



INCLINED SUPPORT

Bespoke system

Description This angled bracket is provided as an accessory for the ICW8 speaker, enabling you to choose to tilt the speaker driver, direct the sound wherever you wish, and enjoy a bespoke system.

	FOR ICW6	FOR ICW8	FOR ICW10
Price:	649 AED/Pc.	799 AED/Pc.	999 AED/Pc.



HANDCRAFTED
IN FRANCE

ON WALL 300

Designer on-wall speakers

Available in White High Gloss or Black Satin finishes, On Wall 300 loudspeakers fit perfectly around a TV, either flush-mounted or on stands. Treat yourself to top-quality music and Home Cinema experiences!



ON WALL 301

2-way on-wall loudspeaker

Speaker drivers	2 x 4" (100mm) Flax MidBass 1 x 1" (25mm) Tweeter TNF
Nominal Impedance	8 Ohms
Sensitivity	87dB
Dimensions (HxWxD)	31 ¹ / ₂ x 6 ¹ / ₈ x 3 ⁹ / ₁₆ " (80x15.5x9cm)
Weight	13lbs (5.9kg)
Finish	Black Satin, White High Gloss

Price: 4 599 AED/Pc.



ON WALL 302

2.5-way on-wall loudspeaker

Speaker drivers	4 x 4" (100mm) Flax MidBass 1 x 1" (25mm) Tweeter TNF
Nominal Impedance	8 Ohms
Sensitivity	91dB
Dimensions (HxWxD)	49 ³ / ₁₆ x 6 ¹ / ₈ x 3 ⁹ / ₁₆ " (125x15.5x9cm)
Weight	20.72lbs (9.4kg)
Finish	Black Satin, White High Gloss

Price: 7 299 AED/Pc.



ON WALL 300 STANDS

Stand for on-wall loudspeaker

Discription	On Wall 300 stands allow you to enjoy your On Wall 300 speakers without having to fix them to the wall. Easily adaptable, whether you have an On Wall 301 or On Wall 302 speaker, the stands are easy to mount. Available in Black or White, the cable management system is integrated into the stand for added discretion.	
Finish	Black, White	
	On Wall 301 Stand	On Wall 302 Stand
Weight (piece)	17.4lbs (7.90kg)	20.4lbs (9.25kg)

Price: 2 499 AED/Pc.



2506, 25th Floor Iris Bay Tower, Business Bay, Dubai
tel. +971 50 559 3563 | e-mail: ba@bonhifi.com
bonhifi.com